



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/787,201	02/27/2004	Craig Allan Dunk	P1646US00	4692

  

63617	7590	03/15/2010
PERRY + CURRIER INC. (FOR RIM) 1300 YONGE STREET SUITE 500 TORONTO, ON M4T-1X3 CANADA		

  

EXAMINER	
HAILU, KIBROM T	

  

ART UNIT	PAPER NUMBER
2461	

  

NOTIFICATION DATE	DELIVERY MODE
03/15/2010	ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

pinto@perry-currier.com  
portfolioprossecution@rim.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/787,201	<b>Applicant(s)</b> DUNK, CRAIG ALLAN	
	<b>Examiner</b> KIBROM T. HAILU	<b>Art Unit</b> 2461	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 22 February 2010.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-44 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-44 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 02/27/2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)         | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)         | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on February 22, 2010 has been entered.

### ***Response to Arguments***

2. Applicant's arguments filed on February 22, 2010 have been fully considered but they are not persuasive because the cited references disclose the claimed invention as set forth in the previous office action.

Applicant's arguments on page 11-13 of the Remarks/Arguments are not persuasive in view of the provided references and the following responses to the arguments, and therefore, the claims are not patentable.

The Applicant argues that the cited references fail to satisfy "determining, prior to transmitting further packets, whether transmission of said at least one packet failed; repeating said transmitting and determining steps until said transmitting step is determined to have failed."

First of all, "determining, prior to transmitting further packets, whether transmission of said at least one packet failed" means that every time a packet is transmitted, acknowledgement is received. It is important to note that you don't want to delay the transmission and reception of time sensitive packets such as video and audio packets so that interruption at the receiver side would be avoided.

Art Unit: 2461

That being said, Chapman explicitly teaches this limitation. For example, see figures 5 and 6, and read col. 6, lines 35-41; col. 6, line 65-col. 7, line 5; col. 5, lines 19-21; etc. That is, Chapman discloses a frame is transmitted (such as step 520 of fig. 5), and determined whether or not the packet is acknowledged (step 530). Meaning, at step 530 of fig.5 a decision is made whether or not the transmitted frame is failed (acknowledged or not, step 630 of fig. 6). As long as it is determined that a failure is not occurred or acknowledgement is received, the transmission of a frame is continued.

Therefore, the claims are not patentable and the Applicant's arguments are not persuasive in view of the cited reference(s) and the response to the argument(s), respectively.

### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Art Unit: 2461

5. Claims 1, 3, 10, 12, 16-19, 21-22, 28-29 and 31-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chapman et al. (US 5,926,468) in view of Zhang et al. (US 7,032,153 B1).

**Regarding claims 1, 3, 17-19 and 21-22,** Chapman discloses a method of delivering packets over a wireless link (Fig. 2) comprising the step of: transmitting at least one packet over said link via a first layer of a protocol stack employed by said link (Fig. 2-3; col. 4, lines 36-40, packets or frames are transmitted over the link or wireless communications medium 240. Note that it is inherent to transmit the packets over the transport layer of the OSI or seven layers, thus the name transport layer); determining, prior to transmitting further packets, whether transmission of said at least one packet failed (Figs. 5-6; col. 6, lines 35-41; col. 6, line 65-col. 7, line 5; col. 5, lines 19-21) repeating said transmitting and repeating said transmitting and determining steps until said transmitting step is determined failed (Figs. 5-6A; steps 520-540, 620-640; col. 6, lines 38-57; col. 6, line 65-col. 7, line 3, illustrating continue transmitting the frame until the link fails or fails to receive acknowledgement and the condition of the link is determined in response to failing of the transmitting step); determining, responsive to said transmitting step failing, a quality of said link at an electronic device by examining quality-of-service (QoS) information available within a second layer of said protocol stack, said second layer being a different layer in said protocol stack than said first layer (col. 1, line 65-col. 2, line 33; col. 2, lines 38-65; col. 6, lines 40-57, explain determining the condition or quality of the data link, which is different from the transport layer or layer 4 of the link or communication medium, by resetting the data link at the data link layer of the first entity or the transmitting device).

Art Unit: 2461

Chapman doesn't explicitly disclose developing a retry strategy for said transmitting step based on said determined quality, and retransmitting said at least one TCP packet according to said retry strategy.

Zhang teaches developing a retry strategy for said transmitting step based on said determined quality, and retransmitting said at least one TCP packet according to said retry strategy (col. 4, lines 40-62; col. 1, lines 20-21).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use developing a retry strategy for said transmitting step based on said determined quality, and retransmitting said at least one packet according to said retry strategy as taught by Zhang into the communication of Chapman in order to reduce delay, use resources in an efficiently way and increase capacity of the system by designing or supporting per packet QoS instead of using static parameters.

**Regarding claims 10, 12, 16, 28-29, and 31-32**, the claims include the features corresponding to the subject matter mentioned above to the rejected claims 1, 3 and 17-22, and the same rejection is applied hereto.

6. Claims 2, 11, 20, 23, 30 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chapman in view of Zhang, and further in view of Haas et al. (US 6,912,387 B2).

As applied above, the modified network communication of Chapman discloses transmitting packets until failure, retransmit the packet when failed according to the retry strategy, and continue transmitting if the retransmission acknowledged. However, the modified communication of Chapman doesn't disclose terminating said method if said re-transmitting step fails; the service used for delivery of said packets comprises a GPRS (Radio service

Art Unit: 2461

communication) and a traditional PSTN type of telephone call, through the uses of appropriate PSTN gateways.

Haas teaches terminating said method if said re-transmitting step fails (Figs. 2 and 3; col. 4, line 50-col. 5, line 8; col. 6, lines 2-13) and the service used for delivery of said packets comprises a GPRS (Radio service communication) and a traditional PSTN type of telephone call, through the uses of appropriate PSTN gateways (see Fig. 1; col. 1, lines 13-31).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use the technique of Haas, which teaches ending the transmission when the retransmitted packet determined failure based on the retrying, and a GPRS (Radio service communication) and PSTN though the use of PSTN gateways into the modified communication of Chapman in order to avoid latency, and thus ensure reliability and throughput.

7. Claims 4-9, 13-15 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chapman in view of Zhang, and further in view of Gage (US 2004/0151136 A1).

**Regarding claims 4-5, 7-9, 13-15 and 27**, the modified communication of Chapman discloses determining quality of a link at data link layer (layer 2) and transmitting the packets via transport layer (layer 4) of a protocol stack to deliver packets.

The modified communication of Chapman doesn't explicitly disclose determining second quality of a second link; the qualities of the links is based on at least one of the measurements of reachability and availability of a given service used for delivery of said packets; determination of which link has a more desirable quality, the least financial cost, and transparent to performance of given service being used for carrying said packets.

Art Unit: 2461

Gage teaches determining second quality of a second link (paragraph [0029]; [0039]; [0042], etc, illustrates determining or measuring a quality of another link than the first one); the qualities of the links is based on at least one of the measurements of reachability and availability of a given service used for delivery of said packets (paragraph [0058]; claims 19 and 27); determination of which link has a more desirable quality, the least financial cost, and transparent to performance of given service being used for carrying said packets (paragraph [0029]; [0032]; [0038]) and select one of the links based on quality (paragraph [0010]; [0045], illustrates selecting a link with based on the predetermined quality value or criteria. Note also that since the modified communication of Chapman retry strategy is based on the quality, it is obvious for a skilled person in the art to realize selecting the link according retry strategies that are based on the qualities on the links).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate and determine the qualities of plurality of links based on reachability and/or availability, desirability or preference, financial cost, transparent to performance as taught by Gage into the modified communication of Chapman in order to allow the wireless device to more efficiently roam between various communication links without repeated terminations and re-establishments of the network connection.

**Regarding claim 6**, the modified communication of Chapman discloses the service includes VOIP (Zhang, col. 1, lines 24-26).

8. Claims 24-26, 34-36, 39-40 and 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chapman in view of Zhang, and further in view of Hyziak et al. (US 5,682,460).



Art Unit: 2461

As applied above, the modified communication of Chapman discloses retry strategy based on the determined quality of the link. However, the modified communication of Chapman doesn't explicitly disclose determined quality is a transmission profile, said transmission profile is a record of successful transmissions from said device or of signal strengths for a previous time period, said previous time period is 10 seconds.

Hyziak teaches determined quality is a transmission profile, said transmission profile is a record of successful transmissions from said device or of signal strengths for an identified portions of previous time period, said previous time period is 10 seconds (col. 4, line 62-col. 5, line 24, explains recording and reporting the status information such as successful delivery, failure, time of transmission or time stamp, elapsed time of transmission, quality of service, cost, acknowledgement and so on. Note also since Hyziak records the time of transmission (time stamp) and elapsed time of transmission, it is obvious for a person having skill in the art to realizing setting the previous transmission time to 10 seconds).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to develop a transmission profile by recording the transmission or information status in the identified portions of previous time period or an elapsed time period as taught by Hyziak and incorporate it into the modified communication of Chapman in order to permit a communication system subscriber to select a set of preferences and associated constraints to be used during the transmission of information within said communication system for reasons such as, but not limited to: cost, security, urgency, reporting options, disposition requests, and/or spectral efficiency, thus the subscriber or the sender may desire to route information over the network exhibiting the highest throughput.

Art Unit: 2461

9. Claims 37 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chapman in view of Zhang and Hyziak, and further in view of Upadrasta (US 6,771,594 B1).

**Regarding claim 37**, as applied above, the modified packet communication of Chapman discloses develop retry strategy and recording or profiling the transmission or information status. However, the modified communication of Chapman doesn't explicitly disclose computer processor configuring to develop said retry strategy as a mirror of said transmission profile.

Upadrasta teaches configuring to develop said retry strategy as a mirror of said transmission profile (col. 7, lines 48-50, illustrates the profile indicates number of retries and acknowledgements. In other words, retrying the TCP packets is according or mirror of the profile).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use retrying according to the user transmission profile as taught by Upadrasta into the modified packet communication of Chapman so that network conditions will be deemed to have improved and either reliable and/or non-reliable mode would be used or entered.

**Regarding claim 38**, which inherits claim 37, includes the features corresponding to the subject matter mentioned above to the rejected claim 27, and the same rejection is applied hereto.

10. Claims 39 and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chapman in view of Zhang, and further in view of Itoh (US 7,486,634 B2).

As applied above, the modified communication of Chapman discloses developing a retry strategy based on the QoS of the link. However, the modified communication of Chapman doesn't disclose determining whether a signal strength has increased by a predetermined amount.

Art Unit: 2461

Itoh teaches determining whether a signal strength has increased by a predetermined amount (col. 18, lines 30-44).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use determining whether a signal strength has increased by a predetermined amount as taught by Itoh into the modified communication of Chapman in order to avoid an excessive energy usage that would otherwise uselessly consume the communication resources.

11. Claims 41 and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chapman in view of Zhang and Hyziak, and further in view of Hatime (SU 2005/0165948 A1).

As applied above, the modified communication of Chapman discloses identifying portions of successfully recorded previous time period in the profile. However, the modified communication of Chapman doesn't disclose retransmitting at least one packet during the portions of the identified time period.

Hatime teaches retransmitting at least one packet during the portions of the identified time period (paragraph [0012]; [002]-[0023]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use retransmitting at least one packet during the portions of the identified time period as taught by Hatime into the modified communication of Chapman in order to reduce the time required to detect a lost packet and to efficiently retransmit any necessary packets in response to such detection, to permit interpolation/extrapolation techniques to predict an estimated future response, and to reduce network congestion on the network communication medium.

Art Unit: 2461

***Conclusion***

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to KIBROM T. HAILU whose telephone number is (571)270-1209. The examiner can normally be reached on Monday-Thursday 8:30AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy D. Vu can be reached on (571)272-3155. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kibrom T Hailu/

Examiner, Art Unit 2461

/Jason E Mattis/

Primary Examiner, Art Unit 2461